

**=> IFW: Scan as Doc Code: SRNT <=
 Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: *10/816,002*

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Thursday

Date: 8/3/2006
Time: 16:39:52 **PALM INTRANET**

Inventor Information for 10/816002

| Inventor Name | City | State/Country |
|--------------------------|---------------|----------------|
| LANG, DAVID K. | INVERNESS | UNITED KINGDOM |
| SANSOM, GORDON G. | INVERNESS | UNITED KINGDOM |
| PUGH, JERRY | MOUNTAIN VIEW | CALIFORNIA |
| WINDUS-SMITH, BRYAN | FORRES | UNITED KINGDOM |
| DAY, EMMA VANESSA JAYNE | NAIM | UNITED KINGDOM |
| ELDIN, GREGORY JEAN PAUL | TRAMOYES | FRANCE |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | |
|---|---------------------|----------|---|---------|---|----------------------------------|
| 1 | US 7051495 B2 | 20060530 | Method of packaging integrated biosensors | 53/475 | 53/247; 53/252; 53/473 | Lang; David K. et al. |
| 1 | US D510711 S | 20051018 | Analyte test meter | D10/81 | | Syme; Steven Alexander et al. |
| 1 | US 6945943 B2 | 20050920 | Analyte concentration determination devices and methods of using the same | 600/584 | | Pugh; Jerry T. |
| 1 | US 6929649 B2 | 20050816 | Lancing device with automatic stick and return | 606/182 | 606/181 | Pugh; Jerry T. |
| 1 | US 6929041 B2 | 20050816 | Keyed anesthetic vaporizer filling system | 141/351 | | Falligant; John C. et al. |
| 1 | US 6908008 B2 | 20050621 | Test device with means for storing and dispensing diagnostic strips | 221/135 | 221/232 | Pugh; Jerry T. |
| 1 | US 6905428 B1 | 20050614 | Universal croquet wicket lighting unit | 473/411 | 473/410 | Lang; David Dell |
| 1 | US 6862394 B2 | 20050301 | Wavelength tunable laser and method of formation | 385/131 | 372/7; 385/130; 385/141 | Ackerman; David A. et al. |
| 1 | US 6847451 B2 | 20050125 | Apparatuses and methods for analyte concentration determination | 356/436 | 356/39; 422/82.05 | Pugh; Jerry T. |
| 1 | US 6817390 B2 | 20041116 | Keyed anesthetic vaporizer filling system | 141/352 | 128/202.22; 128/203.12; 141/18 | Falligant; John C. et al. |
| 1 | US 6745800 B1 | 20040608 | Arrangement for preventing overflow of anesthetic liquid | 141/198 | 128/200.19 | Sansom; Gordon G. |
| 1 | US 6585016 B1 | 20030701 | Keyed anesthetic vaporizer filling system | 141/352 | 128/202.22; 128/202.27; 128/203.12; 141/18; 141/354; 141/364; 141/366 | Falligant; John C. et al. |
| 1 | US 6576228 B1 | 20030610 | Personal wash sunscreen compositions which | 424/60 | 424/400; 424/401; 424/59; | Crookham; Harry et al. |

| | | | | | | |
|---|---------------------|----------|--|------------|--|--------------------------------|
| | | | deposit and lather well | | 424/70.19; 424/70.22; 424/70.9; 510/119; 510/130; 510/137; 510/141; 510/158; 510/159 | |
| 1 | US 6389744 B1 | 20020521 | Support for articles having an elongated portion | 47/47 | 211/181.1; 248/156; 248/175; 248/27.8 | Pugh; Jerry Thomas |
| 1 | US 6202803 B1 | 20010320 | Output load limiter | 188/134 | 192/223; 74/89.39 | Lang; David J. |
| 1 | US 6099802 A | 20000808 | Hollow frustum reagent test device | 422/58 | 422/56 | Pugh; Jerry Thomas |
| 1 | US 6024087 A | 20000215 | Emergency oxygen flowmeter arrangement | 128/203.12 | 128/203.14; 128/203.25 | Kersey; Clifford G. et al. |
| 1 | US 5981451 A | 19991109 | Non-molten-mix process for making bar comprising acyl isethionate based solids, soap and optional filler | 510/141 | 510/152; 510/153; 510/155; 510/447; 510/450; 510/451; 510/474; 510/484 | Farrell; Terence James et al. |
| 1 | US 5950774 A | 19990914 | Load limiter | 188/134 | 188/79.55; 192/150; 192/56.61; 74/89.14 | Lang; David J. et al. |
| 1 | US 5901609 A | 19990511 | Method and apparatus for a low friction safelock system | 74/411.5 | 188/70R; 74/530; 74/813L | Lang; David J. et al. |
| 1 | US 5900395 A | 19990504 | Machine dishwashing tablets containing an oxygen bleach system | 510/224 | | Nicholson; John Richard et al. |
| 1 | US 5858945 A | 19990112 | Peracid granules containing citric acid monohydrate for improved dissolution rates | 510/224 | 252/186.25; 252/186.26; 510/375; 510/444 | Lang; David John et al. |
| 1 | US | 19981208 | Hollow frustum | 422/56 | 422/58 | Pugh; Jerry |

| | | | | | | |
|---|--------------------|----------|--|------------|---|-----------------------------------|
| | 5846486 A | | reagent test device | | | Thomas |
| 1 | US 5837663 A | 19981117 | Machine dishwashing tablets containing a peracid | 510/226 | 510/224 | Nicholson; John Richard et al. |
| 1 | US 5783540 A | 19980721 | Machine dishwashing tablets delivering a rinse aid benefit | 510/224 | 510/226; 510/227; 510/228; 510/229; 510/230; 510/231; 510/232; 510/233; 510/374; 510/375; 510/377 | Secemski; Isaac Israel et al. |
| 1 | US 5767438 A | 19980616 | Frangible ammunition | 102/444 | 102/439; 102/506; 102/529 | Lang; David et al. |
| 1 | US 5753429 A | 19980519 | Analyte concentration measurement using a hollow frustum | 435/4 | 435/14 | Pugh; Jerry Thomas |
| 1 | US 5736103 A | 19980407 | Remote-dosing analyte concentration meter | 422/68.1 | 422/100; 422/56; 422/58; 422/61; 422/63; 422/82.05; 436/14; 436/16; 436/44; 436/8; 600/310 | Pugh; Jerry Thomas |
| 1 | US 5699262 A | 19971216 | Video rental processing system | 700/213 | 194/906; 360/69 | Lang; David et al. |
| 1 | US D382351 S | 19970812 | Siding interlock panel | D25/141 | | Baxter; L. Rex et al. |
| 1 | US 5655636 A | 19970812 | Compact actuator including resettable force limiting and anti-backdrive devices | 192/223 | 188/134; 74/89.39 | Lang; David J. et al. |
| 1 | US 5651357 A | 19970729 | Connection to a gas cylinder | 128/202.27 | 128/203.12 | Braatz; Robert E. et al. |

| | | | | | | |
|---|--------------------|----------|---|-----------|--|-------------------------------|
| 1 | US 5624552 A | 19970429 | In-ground water treatment system | 210/170 | 210/747; 405/52 | Vales; Enoch S. et al. |
| 1 | US 5589370 A | 19961231 | Process for encapsulating sensitive materials | 264/4.3 | 252/79.1; 264/4.33; 428/402.2; 428/402.21; 428/402.22; 428/402.24; 435/177; 435/182; 435/188; 510/367; 510/392 | Ratuiste; Florencio et al. |
| 1 | US 5589267 A | 19961231 | Polyvinyl ether encapsulated particles | 428/407 | 252/186.25; 252/186.26; 252/186.28; 427/213; 427/422; 427/425; 427/426; 428/484.1; 510/370; 510/372; 510/393 | Delwel; Francois et al. |
| 1 | US 5536147 A | 19960716 | Vacuum priming system for centrifugal pumps | 417/199.2 | 417/200 | Lang; David P. |
| 1 | US 5480577 A | 19960102 | Encapsulates containing surfactant for improved release and dissolution rates | 510/372 | 252/186.25; 252/186.26; 252/186.27; 510/220; 510/222; 510/303; 510/310; 510/375; 510/441 | Nicholson; John R. et al. |
| 1 | US 5460743 A | 19951024 | Liquid cleaning composition containing polyvinyl ether encapsulated particles | 510/370 | 510/218; 510/221; 510/223; 510/226; 510/372; 510/374; 510/393; 510/441; 510/475 | Delwel; Francois et al. |

| | | | | | | |
|---|--------------------|----------|---|-----------|--|-----------------------------|
| 1 | US 5353901 A | 19941011 | Pilot operated no-back | 192/223.3 | 188/134; 244/99.9 | Jacques; David L. et al. |
| 1 | US 5299666 A | 19940405 | Resettable pilot operated torque limiter | 188/134 | 192/223.2 | Lang; David J. et al. |
| 1 | US 5258132 A | 19931102 | Wax-encapsulated particles | 510/370 | 428/402.24; 428/403; 510/222; 510/223; 510/372; 510/393; 510/418; 510/441; 510/443; 510/530; 510/535 | Kamel; Ahmed A. et al. |
| 1 | US 5230822 A | 19930727 | Wax-encapsulated particles | 510/370 | 252/186.25; 252/186.27; 252/186.3; 423/268; 428/402.24; 428/403; 510/221; 510/222; 510/223; 510/372; 510/393; 510/416; 510/418; 510/513; 510/530 | Kamel; Ahmed A. et al. |
| 1 | US 5200236 A | 19930406 | Method for wax encapsulating particles | 427/213 | 252/186.25; 252/186.27; 252/186.3; 423/268; 428/402.24; 428/403; 510/222; 510/223; 510/302; 510/303; 510/370; 510/381; 510/441; 510/513; | Lang; David J. et al. |

| | | | | | | |
|---|--------------------|----------|---|----------|---|---------------------------------------|
| | | | | | 510/530 | |
| 1 | US 5141084 A | 19920825 | Brake stop | 188/82.2 | 188/71.4; 188/82.74; 192/223; 244/46 | Lang; David J. et al. |
| 1 | US 5133440 A | 19920728 | Rotary stop mechanism with track actuation of a stop pin | 192/139 | | Lang; David J. et al. |
| 1 | US 5122943 A | 19920616 | Encapsulated light emitting diode and method for encapsulation | 362/256 | 257/E33.059; 257/E33.073; 362/248; 362/363; 362/800 | Pugh; Jerry T. |
| 1 | US 5106354 A | 19920421 | One-piece planetary gear for a rotary actuator and method of assembling a rotary actuator with a one- piece planetary gear | 475/342 | 475/341 | Russ; David E. et al. |
| 1 | US 5003294 A | 19910326 | Remote infra-red personal alarm system | 340/574 | 340/531 | Mason; John et al. |
| 1 | US 4984473 A | 19910115 | Torque monitor | 73/865.9 | 73/862.195; 73/862.31 | Von Stoutenborough; Eric et al. |
| 1 | US 4966067 A | 19901030 | Involute cam actuator with piston drive | 92/150 | 74/55; 74/569; 92/129; 92/146; 92/147; 92/151 | Ames; John et al. |
| 1 | US 4954280 A | 19900904 | Machine dishwashing composition | 510/222 | 510/223; 510/370; 510/476; 510/508 | Elliott; David L. et al. |
| 1 | US 4842085 A | 19890627 | Multiple range electronic weigh scale | 177/164 | 177/211 | Lang; David A. |
| 1 | US 4834225 A | 19890530 | No-back mechanism | 192/223 | 188/134; 74/89.39 | Klopfenstein; Brent A. et al. |
| 1 | US 4833088 A | 19890523 | Reagent strip handling mechanism | 422/55 | 435/286.2; 435/287.1 | DeSimone; Joseph P. et al. |
| 1 | US 4798577 | 19890117 | Separator device and method | 494/67 | 494/43; 494/80 | Brenneman; Allen J. et al. |

| | | | | | | |
|---|--------------------|----------|---|-----------|---|------------------------------------|
| | A | | | | | |
| 1 | US 4795110 A | 19890103 | Flight control surface actuation lock system | 244/3.24 | 244/3.21 | Lang; David J. |
| 1 | US D298169 S | 19881018 | Pipette holder | D24/222 | D24/227 | Collister; Kenneth D. et al. |
| 1 | US 4772924 A | 19880920 | Device having strain induced region of altered bandgap | 257/19 | 257/E31.035; 257/E31.064 | Bean; John C. et al. |
| 1 | US 4761381 A | 19880802 | Volume metering capillary gap device for applying a liquid sample onto a reactive surface | 436/165 | 356/246; 422/102; 422/57; 422/58; 422/947; 436/166 | Blatt; Joel M. et al. |
| 1 | US 4730788 A | 19880315 | Reaction coupled, torque balanced geartrain | 244/50 | 475/332; 475/343; 475/346; 74/410; 74/665R | Metcalf; Jeffrey D. et al. |
| 1 | US 4707160 A | 19871117 | Particles containing active halogen bleach in a diluted core | 8/101 | 252/186.35; 252/187.34; 510/116; 510/302; 510/349; 510/381; 510/441; 510/491; 8/108.1; 8/137 | Chun; Kil Whan et al. |
| 1 | US 4693352 A | 19870915 | Clutch mechanism | 192/70.27 | 192/85AA | Lang; David J. et al. |
| 1 | US 4688469 A | 19870825 | Fault detector for a triplexed mechanical or hydromechanical system | 91/388 | 244/226; 91/390; 91/509 | Durtschi; William G. et al. |
| 1 | US 4686873 A | 19870818 | Casing tong assembly | 81/57.35 | 166/77.51; 414/22.63 | Lang; David M. et al. |
| 1 | US 4667779 A | 19870526 | Unidirectional high gain brake stop | 188/71.2 | 188/217; 188/72.2; 188/72.7; 188/85; 74/126; | Lang; David J. |

| | | | | | | |
|---|--------------------|----------|--|-----------|---|------------------------------------|
| | | | | | 74/436 | |
| 1 | US 4655780 A | 19870407 | Encapsulated bleach particles coated with a mixture of C.sub.16 - C.sub.18 and C.sub.12 -C.sub.14 fatty acid soaps | 8/108.1 | 252/186.34; 252/186.35; 427/212; 427/213; 510/302; 510/367; 510/380; 510/381; 510/441 | Chun; Kil Whan et al. |
| 1 | US 4605257 A | 19860812 | Expandable operator's cab | 296/26.03 | 29/401.1; 296/190.08; 296/26.08; 296/26.12; 52/36.2; 52/79.7 | Lang; David M. et al. |
| 1 | US 4595439 A | 19860617 | Process of forming a multiple profile reagent card | 156/178 | 156/253; 156/291; 422/56; 422/57; 427/2.13; 435/805 | Boger; David L. et al. |
| 1 | US 4526753 A | 19850702 | Multiple profile reagent card | 422/56 | 435/805; 436/57 | Boger; David L. et al. |
| 1 | US 4518565 A | 19850521 | Reagent test device holder | 422/58 | 312/209; 422/104; 422/61; 422/942; 435/805; 436/169 | Boger; David L. et al. |
| 1 | US 4445420 A | 19840501 | Power boost mechanism | 91/3 | 60/39.282; 91/381; 91/391R; 92/30 | Lang; David J. et al. |
| 1 | US 4318304 A | 19820309 | Force limiting device | 74/89.38 | 74/412TA | Lang; David J. |
| 1 | US 4304171 A | 19811208 | Power boost mechanism | 91/3 | 60/39.281; 91/381; 91/391R; 92/136; 92/30 | Lang; David J. et al. |
| 1 | US D258273 S | 19810217 | Spectrophotometer | D10/46 | D10/81 | Collister; Kenneth D. et al. |

| | | | | | | |
|---|--------------------|----------|---|-----------|---|--------------------------|
| 1 | US 4139231 A | 19790213 | Automobile rear compartment cover | 296/37.16 | 296/76 | Lang; David et al. |
| 1 | US 3899265 A | 19750812 | Method and apparatus to perforate pipe | 408/50 | 408/130; 425/142; 425/290; 83/208; 83/369 | Lang; David |
| 1 | US 3859595 A | 19750107 | METHOD FOR MEASURING TRAPS IN SEMICONDUCTORS | 324/766 | 324/678; 324/703 | Lang; David Vern |
| 1 | US 3849820 A | 19741126 | PALLET CLEANER | 15/88.2 | 15/88.3 | Lang; David |
| 1 | US 3844547 A | 19741029 | TOOL WRENCH | 269/25 | 173/164; 81/57.19; 81/57.34 | Lang; David M. et al. |
| 1 | US 3832918 A | 19740903 | BREAKOUT WRENCH | 81/57.33 | 81/57.34 | Lang; David M. et al. |
| 1 | US 3805463 A | 19740423 | DRILL MAST BACK BRACE | 52/116 | 173/151; 173/28; 248/351; 298/17B; 52/149 | Lang; David M. et al. |
| 1 | US 3804363 A | 19740416 | SNAP RING RETAINING FASTENER | 249/100 | 249/183; 264/318 | Lang; David |
| 1 | US 3650283 A | 19720321 | FILTER CLEANER HAVING ROTATABLE SUPPORT AND SPRAY MEANS | 134/143 | 134/140; 134/152; 134/162; 134/170 | Lang; David C. |
| 1 | US 3621954 A | 19711123 | SPEED CONTROL SYSTEM | 477/187 | 123/342; 123/363; 123/378; 180/175 | Ligon; James T. et al. |
| 1 | US 3580503 A | 19710525 | AERATOR AND FOUNTAIN ATTACHMENTS FOR FAUCETS | 239/25 | | Ligon; James T. et al. |
| 1 | US 3545066 A | 19701208 | THREADED ELEMENT INSTALLATION TOOL [TEXT | 29/240 | 81/53.2 | STILLMAN DONALD W et al. |

| | | | | | | |
|---|--------------------|----------|--|-----------|--|-----------------------------|
| | | | AVAILABLE IN USOCR DATABASE] | | | |
| 1 | US 3526432 A | 19700901 | SWIVELLING BELT CONNECTOR [TEXT AVAILABLE IN USOCR DATABASE] | 297/483 | 24/644 | JENSEN JAY WALTER et al. |
| 1 | US 3489367 A | 19700113 | EMERGENCY LOCKING RETRACTOR [TEXT AVAILABLE IN USOCR DATABASE] | 242/384.5 | | LIGON JAMES T et al. |
| 1 | US 3446454 A | 19690527 | EMERGENCY LOCKING RETRACTOR [TEXT AVAILABLE IN USOCR DATABASE] | 242/383.4 | 242/384 | LIGON JAMES T et al. |
| 1 | US 3250098 A | 19660510 | Dry cleaner fluid circuit [TEXT AVAILABLE IN USOCR DATABASE] | 68/18R | 68/12.13; 68/12.15; 68/12.18 | LANG DAVID L et al. |
| 1 | US 3234449 A | 19660208 | Laundry apparatus with improved control [TEXT AVAILABLE IN USOCR DATABASE] | 318/461 | 318/469; 318/470; 34/527; 340/671; 68/24 | LANG DAVID L et al. |
| 1 | US 3113445 A | 19631210 | Fabric cleaning apparatus with recovery control means [TEXT AVAILABLE IN USOCR DATABASE] | 68/12.08 | 34/528; 34/76; 68/18R; 68/20 | WILLIAMS JAMES T et al. |
| 1 | US 3075377 A | 19630129 | Apparatus for determining thermal conductivity of materials [TEXT AVAILABLE IN USOCR DATABASE] | 374/44 | 374/43 | LANG DAVID L |